

To: Jonathan.Koplos@cadmusgroup.com[Jonathan.Koplos@cadmusgroup.com]
Cc: Coffman, Joel[Coffman.Joel@epa.gov]; Rumrill, Nancy[Rumrill.Nancy@epa.gov]; Albright, David[Albright.David@epa.gov]
From: Rao, Kate
Sent: Tue 2/14/2017 9:21:18 PM
Subject: RE: Excelsior

Hi Jonathan –

Yes, an **Ex. 4 - CBI** for Excelsior is OK and new due date for SJR is 2/27/2017.

I believe Joel is going to GWPC.

Thanks. Kate

Kate Rao
Drinking Water Protection Section (WTR 3-2)
USEPA Region 9
75 Hawthorne St., San Francisco, CA 94105
tel: (415) 972-3533 / fax: (415) 947-3549

From: Jonathan Koplos [mailto:Jonathan.Koplos@cadmusgroup.com]
Sent: Tuesday, February 14, 2017 9:37 AM
To: Rao, Kate <Rao.kate@epa.gov>
Subject: FW: Excelsior

Hi Kate,

The additional Excelsior LOE note is below.

Would be good for the paper trail if you could send me a quick response saying add'l **Ex. 4 - CBI** is ok and that the San Joaquin due date is now set for 2/27/2017. (I has remembered incorrectly, but the 27th works better than the 24th. I'll let Jim know.)

Thanks for the good discussion today.

Jonathan

PS You or any of your staff going to be at the GWPC conference in Austin TX next week? I will be.

From: Jonathan Koplos
Sent: Friday, February 10, 2017 1:32 PM
To: 'Rao, Kate' <Rao.kate@epa.gov>
Subject: RE: Excelsior

Hi Kate.

Yes, thanks. Just off the phone with Jim about this. The due dates next Monday and Wednesday are fine. With this extra work, I think another **Ex. 4 - CBI** is needed for Excelsior.

From what Nancy tells Jim (as reflected on the note you forwarded below), we know that Excelsior is trying to keep this moving quickly. We can accommodate. It does push back San Joaquin a bit, though, so instead of a getting San Joaquin to you on 2/17, I think it will be the week after, 2/24 (maybe a day or two earlier if we can). Does the 2/24 due date work?

You and I have had a brief discussion about the multiple TDs we're working on now, the competing priorities, schedules, and Cadmus and Jim's adjustments to making the work happen in the time frame you need. We've picked up our work on San Joaquin, Hilmar a bit, and will take on more of Badger Creek.

Can we talk sometime next Tuesday about schedules and priorities across the multiple TDs we're working on now? We want to make sure we get you what you need when you need it.

Thanks, Kate.

Jonathan

Jonathan Koplos, Ph.D.

The Cadmus Group, Inc.

100 5th Avenue, Suite 100

Waltham, MA 02451

Ph. 617-673-7184

Cell 617-775-5789

www.cadmusgroup.com

From: Rao, Kate [<mailto:Rao.kate@epa.gov>]

Sent: Friday, February 10, 2017 12:48 PM

To: Jonathan Koplos <Jonathan.Koplos@cadmusgroup.com>

Subject: FW: Excelsior

FYI.

Kate Rao
Drinking Water Protection Section (WTR 3-2)
USEPA Region 9
75 Hawthorne St., San Francisco, CA 94105
tel: (415) 972-3533 / fax: (415) 947-3549

From: Rumrill, Nancy
Sent: Thursday, February 09, 2017 2:43 PM
To: JAMES D WALKER <jameswalker5@msn.com>
Cc: Rao, Kate <Rao.kate@epa.gov>; Albright, David <Albright.David@epa.gov>
Subject: Excelsior

Hi Jim,

Based on our calls on 1/24, 26 and 2/9 with Excelsior, I need you to consider the additional Excelsior input and revise where appropriate your January 18, 2017 Comments on Excelsior Responses from Dec 2016. I need this revision by 2/15 to be completed under the existing TDM. By 2/13, let me know the comment numbers that are being revised so that I can consider finalizing the rest of the comments. Please let me or Kate know if you have any questions.

Thanks, Nancy

~~~~~



*Nancy Rumrill ([rumrill.nancy@epa.gov](mailto:rumrill.nancy@epa.gov))*

*Drinking Water Protection Section (WTR-3-2)*

*US EPA, Region IX*

*75 Hawthorne St.*

*San Francisco, CA 94105*

*Phone (415) 972-3293*

Follow us on social media:

*This email message and its contents are for the sole use of the intended recipient or recipients and may contain confidential and privileged information. Any unauthorized review, use, disclosure, or distribution is prohibited. If you are not the intended recipient, please contact the sender by reply email and destroy all copies of the original message.*